



Two-Part Channel System


Instructions and Drawings

01




Transparent Setting Blocks
BA6703501, BA6703501,
BA6703501, BA6703501,
BA6703501, BA6703501


02





03



04



05



For use with 5/16" - 9/16" thick tempered or laminated safety glass

Gaskets and Channel

- A** Top 1-Part Channel (5/16" - 3/8")
 Length: 94"
 • B05201640 - Satin Anodized
 • B05201641 - Brushed Stainless Anodized
 • B05201640B - Matte Black
 Length: 118"
 • B05201640 - Satin Anodized
 • B05201641 - Brushed Stainless Anodized
 • B05201640B - Matte Black
 Length: 196"
 • B05201640 - Satin Anodized
 • B05201641 - Brushed Stainless Anodized
 • B05201640B - Matte Black


- B** Bottom/Side 2-Part Channel
 Length: 94"
 • B05201749 - Satin Anodized
 • B05201759 - Brushed Stainless Anodized
 • B05201749B - Matte Black
 Length: 118"
 • B05201750 - Satin Anodized
 • B05201751 - Brushed Stainless Anodized
 • B05201650B - Matte Black
 Length: 196"
 • B05201752 - Satin Anodized
 • B05201753 - Brushed Stainless Anodized
 • B05201752B - Matte Black

- C** Channel Gasket - 5mm Thickness
 Length: 196"
 • B05201715N - Transparent


- D** Channel Gasket - 4mm Thickness
 Length: 196"
 • B05201714N - Transparent

- E** Channel Gasket - 3mm Thickness
 Length: 196"
 • B05201713N - Transparent

Glass Thickness: 5/16" (8mm)



Glass Thickness: 3/8" (10mm)



Gaskets and Channel

- A** Top 1-Part Channel (1/2" - 9/16")
Length: 94"
 - B05201648 - Satin Anodized
 - B05201649 - Brushed Stainless Anodized
 - B05201648B - Matte Black
Length: 118"
 - B05201652 - Satin Anodized
 - B05201653 - Brushed Stainless Anodized
 - B05201652B - Matte Black
Length: 196"
 - B05201642 - Satin Anodized
 - B05201643 - Brushed Stainless Anodized
 - B05201642B - Matte Black


- B** Bottom/Side 2-Part Channel
Length: 94"
 - B05201749 - Satin Anodized
 - B05201759 - Brushed Stainless Anodized
 - B05201749B - Matte Black
Length: 118"
 - B05201750 - Satin Anodized
 - B05201751 - Brushed Stainless Anodized
 - B05201650B - Matte Black
Length: 196"
 - B05201752 - Satin Anodized
 - B05201753 - Brushed Stainless Anodized
 - B05201752B - Matte Black

- C** Channel Gasket - 5mm Thickness
Length: 196"
 - B05201715N - Transparent


- D** Channel Gasket - 4mm Thickness
Length: 196"
 - B05201714N - Transparent

- E** Channel Gasket - 3mm Thickness
Length: 196"
 - B05201713N - Transparent

Glass Thickness: 1/2" (12mm)




Glass Thickness: 9/16" (14.3mm)





Two-Part Channel

Channel Profile and Predrilled Measurements

Profile:
3/8" and 5/16" Glass




Profile:
1/2" and 9/16" Glass




U Channel

Channel Profile


Profile: 3/8 and 5/16" Glass



Profile: 1/2" - 9/16" Glass



Detail A



Detail B

